

5.2kW window/wall cooling only air conditioner with modern design, remote control, auto swing, timer, sleep mode, gold shield external & blue shield internal corrosion resistant heat exchangers and auto restart.



Product Details

FEATURES

Cooling only operation
Combined with
dehumidification and fan only
modes ensures comfort in
your home

5 year comprehensive
residential warranty
Refer to the warranty terms
and conditions in the brochure
or on the product's warranty
card

Remote control with
luminescent keypad
Remote control with
luminescent keypad

Air swing auto/manual

Manual operation

24 hour timer
Program your air conditioner
to turn on and off
automatically

Sleep mode

Auto restart
In the event of an interruption
in power supply the unit will
restart with the same settings
that were selected prior to the
power outage

BENEFITS

Simple, economic and reliable
Because there are no separate indoor and outdoor units, its
easier to install a window wall cooling only model. And because
its a Kelvinator, you know it is reliable and built to last.

Control from your armchair
The remote control unit lets you conveniently control all
functions

Fresh air delivery
The fresh air return provides additional ventilation to your room
and can also assist in humidity control. The easy-to-service
dust filter removes dust and other larger airborne particles for
cleaner air.

Compact
The super compact design means that window wall cooling only
air conditioners are discreet and unobtrusive in your home.
They are also perfect for cooling smaller family homes and
space-restricted areas.

Specifications

PRODUCT PROFILE

| | |
|---------------------------------|---|
| Domestic warranty details (yrs) | 5 |
|---------------------------------|---|

SPECIFICATIONS

| | |
|---------------------|------|
| Capacity cool watts | 5200 |
|---------------------|------|

| | |
|---------------------|---------|
| Current rating amps | 10 amps |
|---------------------|---------|

| | |
|---------------------|---|
| Service cord length | 1 |
|---------------------|---|

| | |
|------------------|-------|
| Colour of fascia | white |
|------------------|-------|

| | |
|-----------------|--------|
| Compressor type | rotary |
|-----------------|--------|

| | |
|--|----|
| Indoor sound pressure dBA high setting | 55 |
|--|----|

| | |
|---------------------------------------|----|
| Indoor sound pressure dBA low setting | 51 |
|---------------------------------------|----|

| | |
|----------------------------|----|
| Outdoor sound pressure dBA | 62 |
|----------------------------|----|

| | |
|------------------------------------|-----|
| Indoor air circulation max (ltr/s) | 217 |
|------------------------------------|-----|

| | |
|-----------------------------------|----|
| Ambient temperature range minimum | 18 |
|-----------------------------------|----|

| | |
|-----------------------------------|----|
| Ambient temperature range maximum | 46 |
|-----------------------------------|----|

| | |
|---------------------------|-----|
| Moisture removal ltr/hour | 2.2 |
|---------------------------|-----|

SPECIFICATIONS

| | |
|--------------------------------|---|
| New Energy star rating cooling | 2 |
|--------------------------------|---|

| | |
|-------------|------|
| Cooling EER | 3.31 |
|-------------|------|

| | |
|------------------------|-----|
| Refrigerant weight (g) | 700 |
|------------------------|-----|

| | |
|------------------|-----|
| Refrigerant type | R32 |
|------------------|-----|

| | |
|-------------------------|----|
| Outdoor Sound Power dBA | 72 |
|-------------------------|----|

FEATURES

| | |
|------------|------|
| Filtration | dust |
|------------|------|

| | |
|---------------------|------------------------|
| Remote control type | luminescent keypad,LCD |
|---------------------|------------------------|

| | |
|-------|---------|
| Timer | 24 hour |
|-------|---------|

| | |
|------------|----------------------|
| Fan speeds | low,medium,high,Auto |
|------------|----------------------|

PACKED DIMENSIONS

| | |
|----------------------|------|
| Shipping Volume (m3) | 0.32 |
|----------------------|------|

| | |
|----------------------|----|
| Shipping Weight (Kg) | 62 |
|----------------------|----|

| | |
|-----------------------------|-----|
| Pack Dimensions Height (mm) | 505 |
|-----------------------------|-----|

DIMENSIONS

| | |
|-------------------|-----|
| Total height (mm) | 428 |
|-------------------|-----|

| | |
|------------------|-----|
| Total width (mm) | 660 |
|------------------|-----|

| | |
|------------------|-----|
| Total depth (mm) | 770 |
|------------------|-----|

STUFFING QUANTITIES

| | |
|------|----|
| 20ft | 76 |
|------|----|

| | |
|------|-----|
| 40ft | 164 |
|------|-----|

| | |
|---------|-----|
| 40ft HC | 205 |
|---------|-----|

PACKED DIMENSIONS

| | |
|------------------------------|-----|
| Pack Dimension Width (mm) | 739 |
|------------------------------|-----|

| | |
|------------------------------|-----|
| Pack Dimension Depth (mm) | 869 |
|------------------------------|-----|

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz